

# SAFETY DATA SHEET Chlorine 100

### SECTION 1: Identification: Product identifier and chemical identity

**Product identifier** 

Product name Chlorine 100

Internal identification CHLOR100

Relevant identified uses of the substance or mixture and uses advised against

**Application** Bleaching Agent

**Uses advised against** Use only for intended applications.

Details of the supplier of the safety data sheet

**Supplier** Sampson Chemical Products

42 Redcliffe Gardens Drive Clontarf, QLD, 4019

+61 7 3283 4511

sampson\_office@bigpond.com

**Contact Person** Poisons Information 131126 or Brennan Stark 0428 835 855

Manufacturer Eco Pro Australia Pty Ltd

42 Redcliffe Gardens Drive, Clontarf, QLD, 4019

+61 7 3283 4511

sampson\_office@bigpond.com

**Emergency telephone number** 

**Emergency telephone** Poisons Information 131126 or Brennan Stark 0428 835 855

# SECTION 2: Hazard(s) identification

# Classification of the substance or mixture

Physical hazards Not Classified

**Health hazards** Skin Corr. 1B - H314 Eye Dam. 1 - H318

**Environmental hazards** Aquatic Acute 1 - H400

**Label elements** 

Hazard pictograms





Signal word DANGER

**Hazard statements** H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

### **Chlorine 100**

**Precautionary statements** P260 Do not breathe vapour/ spray.

P264 Wash contaminated skin thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/ shower.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor/ physician.
P321 Specific treatment (see medical advice on this label).

P363 Wash contaminated clothing before reuse.

P391 Collect spillage. P405 Store locked up.

P501 Dispose of contents/ container in accordance with national regulations.

Contains Sodium Hypochlorite

#### **Other hazards**

This product does not contain any substances classified as PBT (persistent, bioaccumulative and toxic) or vPvB (very persistent and very bioaccumulative).

### SECTION 3: Composition and information on ingredients

#### **Mixtures**

Sodium Hypochlorite 10-30%

CAS number: 7681-52-9

#### **SECTION 4: First aid measures**

#### **Description of first aid measures**

General information Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical

personnel. Chemical burns must be treated by a physician.

**Inhalation** Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. Rinse nose and mouth with water. Never give anything by mouth to an unconscious person. Get

medical attention if symptoms are severe or persist.

Ingestion Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if

the affected person feels sick as vomiting may be dangerous. Get medical attention.

**Skin Contact** It is important to remove the substance from the skin immediately. Rinse immediately with

plenty of water. Continue to rinse for at least 15 minutes and get medical attention. Chemical

burns must be treated by a physician.

Eye contact Rinse immediately with plenty of water. Do not rub eye. Remove any contact lenses and open

eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

**Protection of first aiders** It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.

#### Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

### **Chlorine 100**

**Inhalation** A single exposure may cause the following adverse effects: Corrosive to the respiratory tract.

Symptoms following overexposure may include the following: Severe irritation of nose and

throat.

Ingestion May cause chemical burns in mouth, oesophagus and stomach. Symptoms following

overexposure may include the following: Severe stomach pain. Nausea, vomiting.

**Skin contact** Causes severe burns. Symptoms following overexposure may include the following: Pain or

irritation. Redness. Blistering may occur.

**Eye contact**Causes serious eye damage. Symptoms following overexposure may include the following:

Pain. Profuse watering of the eyes. Redness.

#### Indication of any immediate medical attention and special treatment needed

**Notes for the doctor**Treat symptomatically.

#### **SECTION 5: Firefighting measures**

# **Extinguishing media**

Suitable extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry

powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

### Special hazards arising from the substance or mixture

**Specific hazards**Containers can burst violently or explode when heated, due to excessive pressure build-up.

Severe corrosive hazard. Water used for fire extinguishing, which has been in contact with the

product, may be corrosive.

**Hazardous combustion** 

products

Thermal decomposition or combustion products may include the following substances: Very

toxic or corrosive gases or vapours.

#### **Advice for firefighters**

Protective actions during

firefighting

Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and

watercourses. If risk of water pollution occurs, notify appropriate authorities.

Special protective equipment

for firefighters

Regular protection may not be safe. Wear chemical protective suit. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to Australia/New Zealand Standards AS/NZS 4967 (for clothing) AS/NZS 1801 (for helmets), AS/NZS 4821 (for protective boots), AS/NZS 1801 (for protective gloves)

will provide a basic level of protection for chemical incidents.

Hazchem Code 2X

#### **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions**Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be

taken without appropriate training or involving any personal risk. Avoid inhalation of dust and vapours. Use suitable respiratory protection if ventilation is inadequate. Avoid contact with

skin and eyes.

#### **Environmental precautions**

### **Chlorine 100**

Environmental precautions Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the

aquatic environment.

#### Methods and material for containment and cleaning up

Methods for cleaning up Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills

immediately and dispose of waste safely. This product is corrosive. Small Spillages: Collect spillage. Large Spillages: Absorb spillage with non-combustible, absorbent material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage.

Dangerous for the environment. Do not empty into drains. For waste disposal, see Section 13.

Reference to other sections

**Reference to other sections** For personal protection, see Section 8. See Section 11 for additional information on health

hazards. See Section 12 for additional information on ecological hazards. For waste disposal,

see Section 13.

#### SECTION 7: Handling and storage, including how the chemical may be safely used

### Precautions for safe handling

Usage precautions Read and follow manufacturer's recommendations. Wear protective clothing as described in

Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. This product is corrosive. Immediate first aid is imperative. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without

protective equipment. Do not reuse empty containers.

Advice on general occupational hygiene

Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash

before reuse. Wash contaminated clothing before reuse.

#### Conditions for safe storage, including any incompatibilities

**Storage precautions** Store locked up. Keep only in the original container. Keep container tightly closed, in a cool,

well ventilated place. Keep containers upright. Protect containers from damage.

**Storage class** Corrosive storage.

Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.

#### SECTION 8: Exposure controls and personal protection

#### **Exposure controls**

### **Protective equipment**













Appropriate engineering

controls

Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-

face respirator may be required instead.

### **Chlorine 100**

Hand protection Wear protective gloves. The most suitable glove should be chosen in consultation with the

> glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with Australia/New Zealand Standard AS/NZS 2161. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as

soon as any deterioration is detected. Frequent changes are recommended.

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

**Hygiene measures** Wash hands thoroughly after handling. Wash at the end of each work shift and before eating,

smoking and using the toilet. Do not eat, drink or smoke when using this product.

Respiratory protection Ensure all respiratory protective equipment is suitable for its intended use and complies with

> Australia/New Zealand Standard AS/NZS 1716. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with

Australia/New Zealand Standard AS/NZS 1716. Full face mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Half mask

and quarter mask respirators with replaceable filter cartridges should comply with

Australia/New Zealand Standard AS/NZS 1716.

**Environmental exposure** 

controls

Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties

**Appearance** Coloured liquid.

Colour Pale Yellow

Odour Chlorine.

На >12

**Specific Gravity** 1.15

Solubility(ies) Soluble in water.

### **SECTION 10: Stability and reactivity**

Reactivity Avoid any contamination of this product as it is very reactive and any contamination is

> potentially hazardous Contact with acids, organics, reducing agents (eg. amines), metallic powders and heat sources produces toxic fumes of chlorine. May be decomposed by hot

water releasing chlorine fumes.

Stability Stable at normal ambient temperatures and when used as recommended. Stable under the

prescribed storage conditions.

Possibility of hazardous

reactions

No hazardous reactions under normal product usage conditions.

Conditions to avoid Avoid heat, flames and other sources of ignition.

### **Chlorine 100**

Materials to avoid Avoid any contamination of this product as it is very reactive and any contamination is

potentially hazardous Contact with acids, organics, reducing agents (eg. amines), metallic powders and heat sources produces toxic fumes of chlorine. May be decomposed by hot

water releasing chlorine fumes.

**Hazardous decomposition** 

products

Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Corrosive gases or vapours.

#### SECTION 11: Toxicological information

#### **Information on toxicological effects**

**Acute toxicity - oral** 

Notes (oral LD50) Based on available data the classification criteria are not met.

**Acute toxicity - dermal** 

Notes (dermal LD50) Based on available data the classification criteria are not met.

**Acute toxicity - inhalation** 

**Notes (inhalation LC50)**Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Skin Corr. 1B - H314 Causes severe burns.

Serious eye damage/irritation

Serious eye damage/irritation Eye Dam. 1 - H318 Corrosive to skin. Corrosivity to eyes is assumed.

**Respiratory sensitisation** 

**Respiratory sensitisation**Based on available data the classification criteria are not met.

**Skin sensitisation** 

**Skin sensitisation** Based on available data the classification criteria are not met.

Germ cell mutagenicity

**Genotoxicity - in vitro**Based on available data the classification criteria are not met.

**Carcinogenicity** 

**Carcinogenicity** Based on available data the classification criteria are not met.

**IARC carcinogenicity** None of the ingredients are listed or exempt.

**Reproductive toxicity** 

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity -

Based on available data the classification criteria are not met.

development

Specific target organ toxicity - single exposure

**STOT - single exposure**Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Not classified as a specific target organ toxicant after repeated exposure.

**Aspiration hazard** 

**Aspiration hazard** Based on available data the classification criteria are not met.

**General information** The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

### **Chlorine 100**

**Inhalation** Corrosive to the respiratory tract. Symptoms following overexposure may include the

following: Severe irritation of nose and throat.

Ingestion May cause chemical burns in mouth, oesophagus and stomach. Symptoms following

overexposure may include the following: Severe stomach pain. Nausea, vomiting.

**Skin Contact**Causes severe burns. Symptoms following overexposure may include the following: Pain or

irritation. Redness. Blistering may occur.

**Eye contact** Causes serious eye damage. Symptoms following overexposure may include the following:

Pain. Profuse watering of the eyes. Redness.

Route of exposure Ingestion Inhalation Skin and/or eye contact

**Target Organs** No specific target organs known.

### **SECTION 12: Ecological information**

**Toxicity** Aquatic Acute 1 - H400 Very toxic to aquatic life.

### Persistence and degradability

Persistence and degradability The degradability of the product is not known.

**Bioaccumulative potential** 

**Bioaccumulative Potential** No data available on bioaccumulation.

Mobility in soil

**Mobility** No data available.

Other adverse effects

Other adverse effects None known.

# **SECTION 13: Disposal considerations**

# Waste treatment methods

General information The generation of waste should be minimised or avoided wherever possible. Reuse or recycle

products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product

residues and hence be potentially hazardous.

**Disposal methods**Dispose of surplus products and those that cannot be recycled via a licensed waste disposal

contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents.

Incineration or landfill should only be considered when recycling is not feasible.

# SECTION 14: Transport information

**General** For limited quantity packaging/limited load information, consult the relevant modal

documentation using the data shown in this section.

**UN number** 

UN No. (ADG) 1791 UN No. (IMDG) 1791 UN No. (ICAO) 1791

**UN proper shipping name** 

# **Chlorine 100**

Proper shipping name (ADG) HYPOCHLORITE SOLUTION

Proper shipping name

HYPOCHLORITE SOLUTION (CONTAINS Sodium Hypochlorite)

(IMDG)

Proper shipping name (ICAO) HYPOCHLORITE SOLUTION

#### Transport hazard class(es)

ADG class 8

ADG classification code C9

ADG label 8

IMDG class 8

ICAO class/division 8

### **Transport labels**



### Packing group

ADG packing group || IMDG packing group

ICAO packing group

### **Environmental hazards**

Environmentally hazardous substance/marine pollutant



### Special precautions for user

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**IMDG Code segregation** 

8. Hypochlorites

group

**EmS** F-A, S-B

Hazchem Code 2X

**Transport in bulk according to** Not applicable. **Annex II of MARPOL 73/78** 

Alliex II of MARK OL 75/

and the IBC Code

# **SECTION 15: Regulatory information**

### **Inventories**

Australia - AICS

None of the ingredients are listed or exempt.

## SECTION 16: Any other relevant information

# **Chlorine 100**

**Training advice** Only trained personnel should use this material.

**Revision date** 15/02/2021

**Revision** 2

**SDS No.** 5098

General Information The following risk and hazard statements are to be considered a glossary. They relate to the

raw materials used in this product and therefore may not be accurate for the finished product itself. For the complete risk and hazard statements for this product please refer to section 2 of

this Safety Data Sheet

**Hazard statements in full** H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H400 Very toxic to aquatic life.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.